




Ranplan Professional

Comprehensive 3D HetNet planning platform for efficient design and optimization of next-generation wireless networks



What is Ranplan Professional?

Ranplan Professional is an advanced 3D modelling and simulation platform that enables the efficient design and optimization of next-generation indoor and outdoor wireless networks.






Featuring an intuitive interface and powerful tools, Ranplan Professional ensures precise network planning, enhances productivity, reduces CAPEX/OPEX, and accelerates network deployment, resulting in robust and reliable network performance.

Key Benefits

- Comprehensive 3D structure modelling.
- Advanced HetNet design capabilities.
- 3D RF propagation simulations.
- Design automation and optimization.
- Customizable reporting.

Comprehensive 3D Modelling

- **Import BIM Files:** Seamlessly import 3D building models from any BIM (Building Information Modelling) authoring software.
- **Import LiDAR Scans:** Model 3D buildings and structures by importing IFC files from the Metaroom ® App.
- **Smart CAD Extract:** Automatically convert 2D/3D CAD files into rendered 3D building models.
- **Manual 3D Modelling:** Create comprehensive 3D models (stadiums, tunnels, stairwells, campuses) using intuitive tools.
- **Import 3D Mesh Files:** Accurately model structures such as curved rooftops, tunnels, and pillars by importing 3D mesh files.
- **Intelligent Floor Plan Recognition (IFR):** Convert background images into 3D vector building models.
- **Attribute Exact Building Information:** Precisely attribute building materials of walls, doors, windows, and interior objects to characterize their frequency properties.
- **Direct Geographic Information Imports:** Accelerate outdoor environment modelling by directly importing geographic information (buildings, terrain, foliage, and clutter) from all major Geographic Information Systems.



System Planning and Evaluation

Precisely plan wireless networks that deliver reliable signal coverage, capacity and low latency.





- **Multi-System Planning:** In-building and outdoor systems, including Active/Passive DAS, small cells, DU/RU, O-RAN, vRAN, WLAN, Macro and Micro.
- **Multi-Technology Support:** 5G NR, 4G, 3G, 2G, TETRA, PMR, DMR, P25, IoT, Wi-Fi (including Wi-Fi 7).
- **MIMO Modelling:** Evaluate the uplink and downlink of 2x2, 4x4, 8x8 antennas.
- **Massive MIMO and Beamforming Modelling:** Configure advanced antenna arrays in 2D and 3D.
- **Cable Planning:** Multi-strand fibre, coaxial, radiating and jumper cables.
- **Evaluate Network Performance:** Compare technologies, configurations and combinations of vendor devices before purchasing or deploying.
- **ROI Measurement:** Use results to measure Return On Investment (ROI) and decide which solution delivers a cost-effective network that meets coverage, capacity, and other KPI performance requirements.



Network Optimization and Automation

Intelligent algorithms recommend and automatically apply design changes, enhancing network performance before procuring or deploying equipment.

- Intelligent Cell/Antenna Optimization (ICO/IAO)/ Automatic Cell Optimizer (ACO):** Automatically fine-tune the location, number, transmit power, and antenna configuration to achieve KPIs.
- Intelligent Topology Optimization (ITO)/Automatic Topology Optimizer (ATO):** Efficiently create optimal network topology by optimizing cable routes.
- Automatic Power Sharing (APS):** Automatically balance the power sharing between operators and systems.
- Intelligent Network Profiler (INP):** Preset network system measurements (signal strength, coverage, leakage) to analyze performance and optimize design.
- Intelligent Frequency Optimization (IFO):** Optimize channel allocation and transmission power to each Wi-Fi Access Point based on interference and coverage prediction.



3D Network Simulations

The true 3D ray-tracing, ray-launching propagation engine, Ranplan Maxwell generates realistic indoor and/or outdoor network coverage, capacity, latency and reliability simulations to predict and determine the quality of service.

- 3D Coverage Prediction:** Advanced calculation accuracy to represent all connected devices in their modelled indoor and outdoor environment.
- Dynamic 3D Capacity Simulation:** Simulates network capacity based on actual traffic patterns to predict real-world performance.
- Body Loss Zones:** Incorporate the impact of human bodies by defining specific zones within venues, enhancing prediction accuracy.
- Advanced Antenna Support:** Includes beam selection and beamforming interference calculations for 2D/3D Massive MIMO antennas, and models Reconfigurable Intelligent Surfaces (RIS) for network optimization.
- Field Measurement Calibration:** Ensures simulations align with real-world network measurements.
- Energy Consumption Simulations:** Conducts detailed simulations with various distribution profiles to assess and optimize energy efficiency.

Customisable and Powerful Reporting

Monitor and track project progress using the customizable and automatically populated reports, ensuring designs are delivered on time, within budget and meet all KPIs.

- ◆ **Quick Access to Project Information:** Easily present information to customers and deployment teams.
- ◆ **One-Click Reporting:** Available in multiple languages.
- ◆ **Reporting Templates:** Includes Equipment, Cable Routing, Layout Plan, Antenna EIRP, Floor Equipment Statistics, and Budget Reporting.
- ◆ **Real-Time Project Costs Reporting:** Project Budget Report, Antenna Link Budget Report, and more.
- ◆ **Project Compliance Reports:** EMF Compliance Report.
- ◆ **High Resolution PDF Printing:** Network System Design and Floor Layout Design, among others.

Antenna ID	Type	Band	Power/channel	Composite power
AP_21_0001	ANTENNA	5G N1	100	100
AP_21_0002	ANTENNA	5G N1	100	100
AP_21_0003	ANTENNA	5G N1	100	100
AP_21_0004	ANTENNA	5G N1	100	100
AP_21_0005	ANTENNA	5G N1	100	100
AP_21_0006	ANTENNA	5G N1	100	100
AP_21_0007	ANTENNA	5G N1	100	100
AP_21_0008	ANTENNA	5G N1	100	100
AP_21_0009	ANTENNA	5G N1	100	100
AP_21_0010	ANTENNA	5G N1	100	100
AP_21_0011	AP	5G N1	100	100
AP_21_0012	AP	5G N1	100	100
AP_21_0013	AP	5G N1	100	100
AP_21_0014	AP	5G N1	100	100
AP_21_0015	AP	5G N1	100	100
AP_21_0016	AP	5G N1	100	100
AP_21_0017	AP	5G N1	100	100
AP_21_0018	AP	5G N1	100	100
AP_21_0019	AP	5G N1	100	100
AP_21_0020	AP	5G N1	100	100
AP_21_0021	AP	5G N1	100	100
AP_21_0022	AP	5G N1	100	100
AP_21_0023	AP	5G N1	100	100
AP_21_0024	AP	5G N1	100	100
AP_21_0025	AP	5G N1	100	100
AP_21_0026	AP	5G N1	100	100
AP_21_0027	AP	5G N1	100	100
AP_21_0028	AP	5G N1	100	100
AP_21_0029	AP	5G N1	100	100
AP_21_0030	AP	5G N1	100	100
AP_21_0031	AP	5G N1	100	100
AP_21_0032	AP	5G N1	100	100
AP_21_0033	AP	5G N1	100	100
AP_21_0034	AP	5G N1	100	100
AP_21_0035	AP	5G N1	100	100
AP_21_0036	AP	5G N1	100	100
AP_21_0037	AP	5G N1	100	100
AP_21_0038	AP	5G N1	100	100
AP_21_0039	AP	5G N1	100	100
AP_21_0040	AP	5G N1	100	100
AP_21_0041	AP	5G N1	100	100
AP_21_0042	AP	5G N1	100	100
AP_21_0043	AP	5G N1	100	100
AP_21_0044	AP	5G N1	100	100
AP_21_0045	AP	5G N1	100	100
AP_21_0046	AP	5G N1	100	100
AP_21_0047	AP	5G N1	100	100
AP_21_0048	AP	5G N1	100	100
AP_21_0049	AP	5G N1	100	100
AP_21_0050	AP	5G N1	100	100

Manufacturer	Name	Type	Comments	Power Consumption	Quantity	Unit	Total Power Consumption	
Generic	MMIOCELL_5G_M2C_3GPP	Source	Integrated 5G/4G Cell with MIMO 2 antennas. Max Output power 21 dBm.	150	1	W	150	
Sigma	SMR-808	Source	Sigma Active Filter (SAF) is used for the identification network coverage and customer penetration coverage across 5G, 4G/LTE, and 3G/2G/1G in straight mode.	50	2	W	100	
Core Network							W	0
Cooling System							W	0
Total Max Power Consumption							W	250
Mean Power Consumption							W	0.18751

Technical Specifications

Minimum hardware requirements

- Processor:** Core i5 6th Generation, 2.0 GHz
- Operating System:** Windows 10 (64bit)
- Memory:** 8GB
- Hard Disk Space:** 50GB
- Display:** 1024 x 768

Recommended hardware requirements

- Processor:** Core i7 7th Generation, 3.0 GHz
- Operating System:** Windows 10 (64bit)
- Memory:** 16GB for medium projects / 32GB for complex projects
- Hard Disk Space:** SSD with minimum 100GB
 - For Stadiums: minimum 200GB
 - For HetNet projects: minimum 300GB
- Display:** 1920 x 1080
- GPU:** RTX graphic cards 3070 or above are recommended, (For AMD CPU we recommend GPU with 4GB+ RAM)
- API:** OpenGL, OpenCL 1.2 or higher
- Cloud/Virtual platforms:** Microsoft Azure

Wireless Technologies Supported

- 5G NR** Sub-6GHz and mmWave
- 4G systems** (3GPP Release 17) LTE/LTE-A
- 3G systems** HSPA/HSPA+/WCDMA/1xEV-DO/TD-SCDMA
- 2G systems** GSM/CDMA/EDGE/GPRS/TDMA
- Public safety systems** P25/PMR/DMR/LMR/TED/TETRA
- IoT systems** LoRa/eMTC/NB-IoT/SIGFOX
- Wi-Fi** (IEEE 802.11b/n/g/j/ac/ad/ax/be)

About Ranplan Wireless

Ranplan Wireless pioneer software solutions for the design, optimization and simulation of in-building and urban outdoor wireless networks. Our open platform, intelligent automation and 3D ray-tracing simulations streamline the network planning process, expertly

identifying potential issues and optimizing network performance for reliable connectivity. This results in an unparalleled quality of service, ensuring seamless and efficient wireless communication for end-users and business operations.